Claas Jaguar 850

#24057-30



Price on request





Industriestraat 23 5961 PH Horst The Netherlands T + 31 (0)77 - 2066603 sales@ammachinery.nl https://www.ammachinery.nl/



Dear sir/madame,

Thank you for your interest in our **Claas Jaguar 850** built in ,with our internal stock number **24057-30**.We are a dedicated SPFH specialist, we work professional and transparent, all our equipment is cleaned and run trough our 300 points inspection report. Use this link to get below information:

https://www.ammachinery.nl/claas-jaguar-850-24057-30.html

Technical specifications

Partnumber	24057-30	Brand	Claas
Model	Jaguar 850	Year of manufacture	2013
Series	492	Engine hours	5427
Road speed (km/h)	40	Drum hours	3917
Attr 2 or 4 wheel drive	4 WD	Engine Brand	Mercedes-Benz
Engine type	L6	Engine Power HP	412
Engine Power (KW)	303	Front Tires Brand	Barkley
Rear Tires Brand	Good Year	Front Tires Size	800/65r32
Rear Tires Size	540/65r24	Front Tires profile	80
Rear Tires Profile	30	Emission Level	Tier 3
Type knife drum	Standard		
Knife drum	28		
Amount of knives installed	28		
Kernel processor type	Saw tooth		

Options

Auto lubrication	Yes	Spout extension	Yes
Automatic spout rotation	Yes	Rear weights	Yes
Trailer hitch	Yes	Innoculant factory installed	Yes
Climate control	Yes	Refrigurator	Yes
Side window wipers	Yes	Duraline wear kit	Yes
Air compressor	Yes	Sunblinds window(s)	Yes
Speedstar	Yes	Bleu-tooth phone device	Yes

2) Short Description

2013 Claas Jaguar 850 Forage Harvester 4WD.including Claas Orbis 600 with autocontour 5427 engine hours, 3916 drum hours. Automatic lubrication, airconditioning, kernel processor (corn cracker), 28 knive drums. This machine has been inspected on 300 points. The inspection report is available. In addition, we provide a warranty on all our machines.

3) Product Images











4) Inspection Report

Levels

Anti-freeze level in °C	- 40 °C	Cooling liquid level	V
Engine oil level	X*	Hydraulic oil level	V
Left hand front end drive oil level	V	Rear axle oil level	V
Left hand rear end drive oil level	V	Right hand rear end drive oil level	Χ*
Upper feedrolls gearbox oil level	X*	Lower feedrolls gearbox level	V
Gearbox oil level	X*	4WD gearbox oil level	Χ*
Fan drive gearbox oil level	V	Main gearbox pump drive	V
Brake fluid	V		

Condition Knive drum

Type knife drum	Standard	Knife drum	28
Amount of knives installed	28	Knife condition	30%%
Knife drum configuration	Grass	Shearbar front surface	☆☆☆☆☆
Shearbar rear surface	★公公公公	Shearbar active position	Front
Left hand Knife drum bearing	X*	Right hand Knife drum bearing	V
Knife drum bottom plate	★★☆☆☆	Knife drum rear plate	☆☆☆☆☆
Knife drum front cover	★★☆☆☆	Knife drum stone cover	
Sharpening stone	☆☆☆☆☆	Left hand lift cilinder	V
Right hand lift cilinder	V		

Kernal processor

Gras chute liner	☆☆☆☆☆	Kernel Processor rolls	☆☆☆☆☆
Kernel Processor front roll	☆☆☆☆☆	Kernel Processor rear roll	☆☆☆☆☆
Kernel processor type	Saw tooth	Kernel Processor front roller left hand bearing	V
Kernel processor front roller right hand bearing	V	Kernel processor rear roller left hand bearing	V
Kernel processor rear roller right hand bearing	V	Kernel Processor drive belt	☆☆☆☆☆
Kernel Processor drive tensioner bearings	X*	Kernel Processor drive idler roller	X*
Kernel Processor housing	★★☆☆☆	Tensioner springs gap adjustment	V

Feedrolls

Upper front feedroll	☆☆☆☆☆	Upper front feedroll wear strips	☆☆☆☆☆
Upper rear feedroll	☆☆☆☆☆	Metal detector roll	☆☆☆☆☆
Metal detector roll wear strips	☆ ☆☆☆☆	Smooth roll	☆☆☆☆☆
Smooth roller chain coupler	V	Smooth roll scraper	☆☆☆☆☆
Upper front feedroller left hand bearing	V	Upper rear feedroller left hand bearing	V
Upper rear feedroller right hand bearing	V	Metal detector roll left hand bearing	V
Metal detector roll right hand bearing	V	Smooth roll left hand bearing	V
Smooth roll right hand bearing	V	Main drive feedrolls	X*
Belt main drive feedrolls	V	Tensioner belt main drive feedrolls	X*
Upper feedroller arm bushing	V	Feeder housing wear plates	☆☆☆☆☆
Housing opening rubbers	X*	Upper feedrolls drive shaft	V
Upper feedrolls tension springs	V	Upper feedrolls shock absorber	V
Upper feedrolls arm Bump stops	X*	Lower feedrolls gearbox	V
Loc gearbox	X*	Gearbox upper feedrolls	X*
Corn cave			
Corn cave housing	V	Corn cave liner	☆☆☆☆☆
Corn cave side liners	★★☆☆☆	Corn cave top liner	

Blower

Blower paddles	60%	Blower liner	☆☆☆☆☆
Blower housing	V	Left hand blower bearing	X*
Right hand blower bearing	X*	Blower angled liner	V
Transition housing			
Transition housing	企会会 公公	Transition liners	☆☆☆☆☆
Spout			
Spout turnable wear shims	企业 企公公	Spout swivel tube	☆☆☆☆☆
Spout complete housing	☆☆☆☆☆	Spout front liner	☆☆☆☆☆
Spout rear liner	★★★☆☆☆	Spout side liners	☆☆☆☆☆
Spout extention	☆☆☆☆☆	Spout extention liner	☆☆☆☆☆
Inner Spout deflector	☆☆☆☆☆	Outer Spout deflector	☆☆☆☆☆
Spout deflector liners	☆☆☆☆☆		
Engine			
Dry engine	X*	Waterpump bearings	V
Engine belting	V	Engine belt tensitioners	V
Exhaust system	V	Engine mounting	V
Airfilters	V	Rotary air screen	V
Cleaner cooling package	V	Engine belting idler roller	X*
Fan drive gearbox	V		
Operational Test Main drive			
Main clutch	含含含 合合	Main drive belt	☆☆☆☆☆
Main belt tensioner	V		

Drive train

bearings

Front drive shaft's and coupler's	V	Tires condition	Χ*
Rear axle drive shaft	V	Rear axle stub axle	Χ*
Rear axle ball joint	Χ*	Steering cylinder	٧
Operators station			
Front window	V	Rear window	V
Cab door	V	Cab door latch	٧
Cab right hand window	V	Cab roof	٧
Cab front bottom cover	V	Mirrors	٧
Joystick	V	Armrest control panel	Χ*
Steering wheel adjustment	X*	Front window wiper	V
Side window wipers blade	X*	Cab air filter	Χ*
Seat	V		
Machine body			
Front cover	V	Left hand cover	Χ*
Right hand cover	X*	Rear cover	٧
Electrical			
Head lights	V	Rear lights	V
Brake lights	V	Turn signal/hazard lights	٧
Rotary Beacon	V	Dome lights	٧
Cab upper front work lights	V	Cab side work lights	V
Fender work lights	V	Upper rear work lights	٧
Lower rear work lights	V	Spout work lights	٧
Fuel gauge	X*		

Functional test

Engine oil pressure low idle cold	4.2 bar	Engine oil pressure high idle cold	4.8 bar
Engine oil pressure low idle operating temperature	2.2 bar	Engine oil pressure high idle operating temperature	4.2 bar
Hydrostatic drive neutral	V	Transmission shifting	V
4WD working	V	Foot brakes L/R	V
Parking brake	V	Main clutch working	V
Autolube	V	Length of cutt adjustment	V
Header speed adjustment	V	Header height control	N.A.
Header Lateral Tilt - if applicable	V	Front hydraulics	X*
Dump valve (high flow hydraulics)	N.A.	Spout turning	V
Metal detector	V	Spout deflector	٧
Sharping system	V	Shearbar adjustment	٧
Kernel Processor gap adjustment	X*	Airconditioning cold	X*
Cab heating	V	Electrical functions cabin	X*
Camera(s)	N.A.	Radio	٧
Road & Working Lights	V	Free of error codes	X*

Header

Stocknumber	24058	Brand	Claas
Model	Orbis 600	Amount of rows	8
Working width	6 M	Autosteer sensor	N.A.
Header lateral tilt	V	Header height control sensors	V
Cutting hours	☆☆☆☆☆	Drum bearings	V
Cleaners	V	Drums	V
Drum cleaners / scrapers	V	knife discs	V
Drive shaft	V	Drive line couplers	V
Crop dividers	X*	Oil levels	V
Down corn augers	V	Ground skid plates	V
Fold cilinders	X*	Hydraulic hoses/lines	V
Transport accident prevention	N.A.	Support wheel(s)	N.A.
Support legs	V	Wearplates	Χ*

5) Operational test

Main drive

Main clutch	☆☆☆☆☆	Main drive belt	☆☆☆☆☆
Main belt tensioner bearings	V		

6)Recommended Repairs

4WD gearbox seal to parkingbrake replacement AC repair Airpressure gauge replacement Armrest control panel cupholder replacement 492 Blower paddles adjustment Blower rear liner replacement Cab air filters replacement Claas Orbis 450/600 angled wearplates main frame replacement

Claas Orbis 600 seal replacement fold cilinder LH side

Corn cave side liners replacement

Corn cave top liner replacement

Corn shearbar replacement

Cover spout turning gears replacement

Engine belting idler roller OM460LA replacement

Feedroll drive tentioner bearing replacement

Fuel gauge replacement 491/492

Gap adjustment cyl seals replacement, new style with bolt

Gearbox breather replacement

Horn replacement

Inner balljoint LH replacement

Inner balljoint RH replacement

Inner spout deflector liner replacement

Kernal processor gap adjustment bleeding

Kernal Processor gap adjustment cil seals replacement

Kernel processor drive idler roller bearing replacement 492

Kernel processor drive tentioner roller bearing replacement from 49203868

Knife drum botom plate replacement from 49207133

Knife drum stone cover cil seals replacement

Latch cover climbing device replacement

Latch toolbox cover replacement

Left hand blower bearing replacement

Left hand cutterhead bearing replacement version D02/80, D02/51, D02/90

Lh seal housing replacement

Loc Gearbox cover header speed adjustment replacement

Lower feedrolls bottom cover replacement

Lower steering wheel adjustment absorber replacement

Magnetic switch feedroll housing replacement for attachment recognize

Main drive feedrolls bearing replacement with housing 492/493

Mercedes OM460 oil change

Metal detector roll wearstrips replacement

OM460LA intake hose turbocharger replacement

Orbis 600 RH middle drum RH outer finger replacement

Play stub axle repair LH 4wd

Play stub axle repair RH 4wd

Rh seal housing replacement

Right hand blower bearing replacement

Right hand end drive outer seal replacement

Right hand rear end drive inner seal replacement

Right hand rear end drive oil replacement

Side window wiper replacement RH side

Smooth roller replacement

Smooth roller scraper replacement

Transtion liners replacement

Upper feedroll bump stops replacement front

Upper feedrolls gearbox overhaul

Upper front feed roll replacement 491/492

Upper front feed roll wear strips replacement

Valve seal replacement 6 cilinder engine

Weld in kernel processor housing liner Welding Welding 1 hour Welding 4 hours 28 corn knives replacement 492 RH rear cover latch replacement

7) A&M PREMIUM Warranty

All our equipment is inspected with the Harvester-Guard (R) inspection software. This certificate declares that this forage harvester has A&M PREMIUM warranty on:

- 1. All inspected CROP-FLOW components with a 3, 4 or 5 star rating.
 - 2. All CROP-FLOW bearings which have status approved.

Warranty on repairs:

Components with 1 or 2 star rating are subject for repair and have no warranty. In case A&M Machinery is ordered to repair the 1 and 2 stars components then warranty is in place, as repair implies upgrade to 5 stars or status approved.

Eventually repairs are reported in the 'A&M PREMIUM or A&M EXCLUSIVE warranty certificate & terms' document.