AM Machinery inspection certificate

Claas Jaguar 940

#24078-30



Price on request





Industriestraat 23 5961 PH Horst The Netherlands T + 31 (0)77 – 2066603 sales@ammachinery.nl https://www.ammachinery.nl/

×

Dear sir/madame,

Thank you for your interest in our Claas Jaguar 940 built in ,with our internal stock number 24078-30.We are a dedicated SPFH specialist, we work professional and transparent, all our equipment is cleaned and run trough our 300 points inspection report. Use this link to get below information:

https://www.ammachinery.nl/claas-jaguar-940-24078-00.html

Technical specifications

Partnumber	24078-30	Brand	Claas
Model	940	Year of manufacture	2009
Series	494	Engine hours	4079
Road speed (km/h)	40	Drum hours	2718
Attr 2 or 4 wheel drive	4 WD	Engine Brand	Mercedes-Benz
Engine type	V8	Engine Power HP	644
Engine Power (KW)	480	Front Tires Brand	Alliance
Rear Tires Brand	Ceat	Front Tires Size	800/70r32
Rear Tires Size	600/65r28	Front Tires profile	82
Rear Tires Profile	97	Emission Level	Tier 3
Type knife drum	V-max		
Knife drum	24		
Amount of knives installed	12		

Kernel processor type Saw tooth

Options

Auto lubrication	Yes	Spout extension	Yes
Automatic spout rotation	Yes	Rear hydraulics	Yes
Autopilot module prepared	Yes	Innoculant factory installed	Yes
Climate control	Yes	Refrigurator	Yes
Side window wipers	Yes	Air compressor	Yes
Sunblinds window(s)	Yes	Road registration papers	Yes
Operators manual	Yes		

2) Short Description

For sale 2009 Claas Jaguar 940 4WD including Kemper 360 8 row corn header

3) Product Images









4) Inspection Report

Levels

Anti-freeze level in °C	- 25 °C	Cooling liquid level	V
Engine oil level	X*	Hydraulic oil level	V
Left hand front end drive oil level	V	Rear axle oil level	V
Left hand rear end drive oil level	X*	Right hand rear end drive oil level	V
Upper feedrolls gearbox oil level	X*	Gearbox oil level	V
Fan drive gearbox oil level	V	Main gearbox pump drive	Х*
Gearbox oilpump mainbelt	V		

Condition Knive drum

Type knife drum	V-max	Knife drum	24
Amount of knives installed	12	Knife condition	57%
Knife drum configuration	Grass	Shearbar front surface	☆☆☆☆☆
Shearbar rear surface	☆☆☆☆☆☆	Shearbar active position	Rear
Left hand Knife drum bearing	V	Right hand Knife drum bearing	Х*
Knife drum bottom plate	ជ ជ៌ជំជំជំ	Knife drum rear plate	☆☆☆ ☆☆
Knife drum front cover	★★☆☆☆☆	Knife drum stone cover	☆☆☆ ☆☆
Sharpening stone	★★☆☆☆	Left hand lift cilinder	V
Right hand lift cilinder	V		

Kernal processor

Gras chute liner	★★☆☆☆☆	Kernel Processor rolls	☆☆☆☆☆☆
Kernel Processor front roll	☆☆☆☆☆☆ ☆	Kernel Processor rear roll	☆☆☆ ☆☆
Kernel processor type	Saw tooth	Kernel Processor front roller left hand bearing	V
Kernel processor front roller right hand bearing	V	Kernel processor rear roller left hand bearing	V
Kernel processor rear roller right hand bearing	V	Kernel Processor drive belt	☆☆☆ ☆☆
Kernel Processor drive tensioner bearings	V	Kernel Processor drive idler roller	X*
Kernel Processor housing	☆☆☆☆☆☆ ☆	Tensioner springs gap adjustment	V

Feedrolls

Upper front feedroll	★★★☆☆	Upper front feedroll wear strips	☆☆ ☆☆☆
Upper rear feedroll	☆☆☆☆☆☆	Metal detector roll	☆☆☆☆☆☆
Metal detector roll wear strips	☆☆☆☆☆	Smooth roll	☆ ☆☆☆☆
Smooth roll scraper	☆☆☆☆☆	Upper front feedroller left hand bearing	V
Upper rear feedroller left hand bearing	Х*	Upper rear feedroller right hand bearing	Χ*
Metal detector roll left hand bearing	V	Metal detector roll right hand bearing	Х*
Smooth roll left hand bearing	V	Smooth roll right hand bearing	Х*
Main drive feedrolls	V	Belt main drive feedrolls	V
Tensioner belt main drive feedrolls	V	Upper feedroller arm bushing	Х*
Feeder housing wear plates		Housing opening rubbers	Х*
Upper feedrolls drive shaft	V	Upper feedrolls tension springs	V
Upper feedrolls shock absorber	Χ*	Upper feedrolls arm Bump stops	V
Upper feedrolls gearbox	Χ*	Loc gearbox	V
Corn cave			
Corn cave liner	☆☆☆ ☆☆	Corn cave side liners	☆☆ ☆☆☆
Corn cave top liner	☆☆☆ ☆☆		
Blower			
Blower paddles	5%	Blower liner	☆☆☆☆☆
Blower housing	V	Left hand blower bearing	V
Right hand blower bearing	V	Blower angled liner	Х*

Transition housing

Transition housing	★★★☆☆	Transition liners	✿☆☆☆☆
Spout			
Spout turnable wear shims	☆☆☆☆☆☆ ☆	Spout swivel tube	☆☆☆ ☆☆
Spout complete housing	☆☆☆☆☆☆ ☆	Spout front liner	☆☆☆ ☆☆
Spout rear liner	☆☆☆ ☆☆	Spout side liners	☆☆☆☆☆
Spout extention	☆☆☆☆☆	Spout extention liner	☆☆ ☆☆☆
Inner Spout deflector	含含☆ ☆☆	Outer Spout deflector	☆☆☆ ☆☆
Spout deflector liners	☆☆ ☆☆☆		
Engine			
Dry engine	X*	Waterpump bearings	V
Engine belting	V	Engine belt tensitioners	V
Exhaust system	V	Engine mounting	V
Airfilters	X*	Rotary air screen	Х*
Rotary air screen rollers	V	Cleaner cooling package	Х*
Engine belting idler roller	X*	Fan drive gearbox	V
Operational Test Main drive			
Main clutch		Main drive belt	☆☆☆☆☆
Main belt tensioner bearings	Х*		
Drive train			
Front drive shaft's and coupler's	N.A.	Tires condition	V
Rear axle stub axle	X*	Rear axle ball joint	X*
Steering cylinder	V		

Operators station

Front window	X*	Rear window	Х*
Cab door	V	Cab door latch	V
Cab right hand window	V	Cab roof	V
Cab front bottom cover	V	Mirrors	V
Joystick	V	Armrest control panel	V
Steering wheel adjustment	V	Front window wiper	V
Rear window wiper blade	N.A.	Side window wipers blade	V
Cab air filter	X*	Seat	V
Machine body			
Front cover	V	Left hand cover	V
Right hand cover	X*	Rear cover	V
Electrical			
Head lights	V	Rear lights	V
Brake lights	V	Turn signal/hazard lights	V
Rotary Beacon	X*	Dome lights	V
Cab upper front work lights	V	Cab side work lights	V
Fender work lights	N.A.	Upper rear work lights	V
Lower rear work lights	N.A.	Spout work lights	V
Fuel gauge	V		

Functional test

Engine oil pressure low idle cold	4.8	Engine oil pressure high idle cold	5.8
Engine oil pressure low idle operating temperature	2.8	Engine oil pressure high idle operating temperature	4.5
Hydrostatic drive neutral	V	Transmission shifting	V
4WD working	V	Foot brakes L/R	V
Parking brake	V	Main clutch working	V
Autolube	V	Length of cutt adjustment	V
Header speed adjustment	V	Header height control	V
Header Lateral Tilt - if applicable	N.A.	Front hydraulics	V
Dump valve (high flow hydraulics)	N.A.	Spout turning	V
Metal detector	V	Spout deflector	V
Sharping system	V	Shearbar adjustment	V
Cutterhead reverser	N.A.	Kernel Processor gap adjustment	V
Airconditioning cold	V	Cab heating	V
Electrical functions cabin	Χ*	Camera(s)	N.A.
Radio	V	Road & Working Lights	V
Free of error codes	V		

Header

Stocknumber	23140	Brand	Kemper
Model	360	Amount of rows	8
Working width (mtr.)	6 meter	Autosteer sensor	N.A.
Header lateral tilt	V	Header height control sensors	N.A.
Cutting knives		Drum bearings	Х*
Cleaners	V	Drums	V
Drum cleaners / scrapers	V	knife discs	V
Drive shaft	V	Drive line couplers	V
Drive chains and belts	X*	Crop dividers	Х*
Oil levels	V	Down corn augers	Х*
Ground skid plates	X*	Fold cilinders	V
Hydraulic hoses/lines	X*	Transport accident prevention	N.A.
Support wheel(s)	N.A.	Support legs	Х*
Feeder auger	N.A.	Feeder auger bearings	N.A.
Wearplates	X*		

5) Operational test

Main drive			
Main clutch	☆☆☆☆☆	Main drive belt	☆☆☆☆☆
Main belt tensioner bearings	Χ*		

6)Recommended Repairs

1e Spout RH side liner spout till 49402018 Airfilter replacement OM502LA double filter Bearing replacement rear ribbed iddle roller 494 Belt replacement crop divider kemper 300 LH side

Blower angled liner replacement 494 Blower paddles adjustment Blower paddles replacement 494 serrated 78x345mm Blower rear liner replacement Blower rear side liners replacement Broken bolt repair Cab air filter replacement Claas 494/497/498/502 smooth roller replacement Cleaner cooling package bearing replacement Corn cave side liners replacement till 49402018 Engine belting idler smooth roller 494 OM502 repl Feeder housing side seal replacement LH Front upper feedroll arm replacement LH 494 Front window sunscreen rods repl 494 Gearbox overhaul 494 Grass chute liner replacement till49402913 Inner spout deflector liner replacement old style Kemper 300 hose's to coupler Claas 492/493 Kemper 300 Lh bolt replacement Kemper 300 LH inner feeder roller gearbox bearing repl Kemper 300 plus skid plate 1e left replacement Kemper 300 plus skid plate 3e left replacement Kemper 300 plus skid plate 8e left replacement Kemper 300 RH inner feeder roller gearbox bearing repl Kemper 300 to Claas angled wearplate feedrolls replacement Kemper 300/445/4500 down corn auger pully replacement RH Kemper 300445/4500 down corn auger pully replacement LH Kemper 360 LH fold cilinder Hoses replacement Kemper 360 RH fold cilinder Hoses replacement KP drive idler roller bearing repl till 49402913 Left hand rear end drive oil replacement Main clutch hydraulic rotor repair Main drive feedrolls brake pad replacement Main gearbox pump drive oil service Mercedes OM502LA oil change Metal detector roll right hand bearing repl 494/497/498 OM502LA dipstick repl 494 Outer pin and bushing repl Lh side 1 plug end drive 4-Trac Outer pin and bushing repl Rh side 1 plug end drive 4 -Trac Radial play repair RH 4-Trac Till: 49403293 Rear wearplates repl 494 till49403007 from49403053-49403882 Rear window replacement from 49400908 RH cover rear latch replacement till 49401277 Right hand knife drum bearing replacement 494/497 V-Max kniv Rotary air screen coupler for hose to screen repl old type Rotary beacon switch replacement Smooth roll right hand bearing replacement 494/497/498/502 Smooth roller scraper replacement till 49401494 Spout extention liner repl till 4941277 old style Stone cover cilinder seal replacement Switch lift header LH fender replacement

Switch lowwer header LH fender replacement Tensioner smooth roller bearings repl 494 till49403391 OM502 Transition liners replacement Turn around wear strips Turn around wear strips metal detector roll Upper feedroll arm bushing replacement LH side Upper feedroll arm bushing replacement RH side Upper feedrolls gearbox oil replacement Upper feedrolls shock absorber repl 494 till 49401277 Upper rear feedroller left hand bearing replacement 494 Welding 2 hours

7) A&M PREMIUM Warranty

All our equipment is inspected with the Harvester-Guard (R) inspection software. This certificate declares that this forage harvester has A&M PREMIUM warranty on:

1. All inspected CROP-FLOW components with a 3, 4 or 5 star rating.

2. All CROP-FLOW bearings which have status approved.

Warranty on repairs:

Components with 1 or 2 star rating are subject for repair and have no warranty. In case A&M Machinery is ordered to repair the 1 and 2 stars components then warranty is in place, as repair implies upgrade to 5 stars or status approved.

Eventually repairs are reported in the 'A&M PREMIUM or A&M EXCLUSIVE warranty certificate & terms' document.